

# i12 ICE/WATER DISPENSER



### Innovative Design & Technology

- Hot, cold, and ambient water plus ice dispenser
- Touchless sensor operation
- Ergonomic comfort-height design



#### Advanced Hygiene Features

- Built in touch-less dispense
- State-of-the-art reverse osmosis purification
- Elegant "bullet" ice



#### Bullet-Proof Reliability

- Leak protection system
- Energy efficiency mode

## Now with built in touchless dispense!

wellsvsø



Pure Water of Western and Central NY 316 Seneca Street Buffalo, NY 14204 purewaterwny.com | 716.783.9659



## i12 ICE/WATER DISPENSER

			Description	Specification
Dual LED UV-C light				
Closed system (added air			Weight	119.5 lbs (54.2 kg)
filter and sealed reservoir)		1 in	Dimensions	16.9"w x 58.7"h x 19.4"d
Hot, cold, and ambient				10.5 W X 30.7 H X 15.4 d
water and bullet ice			Cold Tank Capacity	1.2 gallons (4.7 liters)
Touch-less operation	a line	"		
Increased dispense		58.7"	Ambient Tank Capacity	4.5 gallons (16.9 liters)
height (from 8" to 10")			Hot Tank Capacity	1.2 gallons (4.6 liters)
New glass front				
Removable large drip tray —			Ice Production	44 lbs/day (19.9 kg/day)
for easy cleaning			Ice Storage	8.8 lbs/day (4 kg/day)
State-of-the-art reverse				
osmosis purification			Dispense Area	10"
			Recommended	60-70 psi
			Water Pressure	
	19.4"	16.9"	Rated Voltage/ Frequency	110v/60Hz @ 6.5 amps
*When used with Wellsys proprietary filtration			Power Consumption	2.83 kWh/24 hours

Wellsys Technology Purification Process



Sediment Filter

Reduces particles such as dirt, silt, rust, and pipe residue.



Pre-Carbon Filter

Reduces chlorine, chemicals, and pesticides.



Double Reverse Osmosis Membrane

Reduces dissolved solids, pharmaceuticals, and metals.



Post Carbon Filter

Final polishing filter ensures great taste.



Pure Water of Western and Central NY 316 Seneca Street Buffalo, NY 14204 purewaterwny.com | 716.783.9659

Certified by IAPMO in accordance with ANSI/NSF 372 for lead free products and certified by IAPMO R&T in accordance with UL 399 and CSA 22.2 for electrical safety.